

8400036

THE UNIVERD STAYLES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME;

Lynnville Seed Company

Wilherens, There has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT (S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT (S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OF ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF CIDITOR FEED AND TERIODIC REPLENISHMENT OF VIABLE BASIC TO THE PAYMENT OF THE REQUIRED FEED AND TERIODIC REPLENISHMENT OF VIABLE BASIC FEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, IMPORTING IT, OR EXPORTING IT, OR OFFERING IT PRODUCING A HYBRID OR DIFFERENT TY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT

SOYBEAN

'Riverside 2024'

In Lestmany Whereot, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington this 22nd day of February in the year of our Lord one thousand nine hundred and eighty-five.

John R Block Georges of Stanication

Selical The Commissioner President of Stand Variety Protection 6,

A. 15 A. 15

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE				FORM APPROVED: OMB NO. 0581-0005			
LIVESTOCK, MEAT, GRAIN & SEED DIVISION			No c	ertificate for plant variety protection			
APPLICATION FOR PLANT VAR (Instruction	may catio 553).	may be issued unless a completed application form has been received (5 U.S.					
1. NAME OF APPLICANT(S)		2. TEMPORARY DESIGNATION	3, V	ARIETY NAME			
Lynnville Seed Company		723C46-18		Riverside 2024			
4. ADDRESS (Street and No. or R.F.D. No., City, St.	ate, and Zip Code)	5. PHONE (Include area code)	+	FOR OFFICIAL USE ONLY			
			PVP	ONUMBER			
Lynnville, Iowa 50153		515-527-2220		8400036			
6. GENUS AND SPECIES NAME	7. FAMILY NAI	ME (Botanical)	 	DATE			
Glycine Max (L) Merrill	Glycine Max (L) Merrill Legumino		FILING	1-5-84 TIME 2:30 A.M. K P.M.			
8. KIND NAME	9.	DATE OF DETERMINATION		AMOUNT FOR FILING			
Court o are		A CANADA CAN	8	<u>s</u> 1,000			
Soybean		1980	RECEIVED	DATE 1-5-84			
10. IF THE APPLICANT NAMED IS NOT A "PERSO partnership, association, etc.)	N," GIVE FORM	OF ORGANIZATION (Corporation	HE L	AMOUNT FOR CERTIFICATE			
partitions, association, atc.,		The state of the s	FEES	\$ 500.00			
Corporation		er en		DATE 1/29/85			
1. IF INCORPORATED, GIVE STATE OF INCORP	ORATION		12, [PATE OF INCORPORATION			
Iowa 3. NAME AND ADDRESS OF APPLICANT REPRE			<u> </u>	1-1-61			
Roy D. Meeks							
-							
Lynnville Seed Co. Lynnville, IA 50153		A A A A					
4. CHECK APPROPRIATE BOX FOR EACH ATTA	CHMENT SUBMIT	TED					
a. X Exhibit A, Origin and Breeding History of the Section 52 of the Plant Variety Protection A	e Variety (See		escription to the control of the con	ion of the Variety (Request form Office.)			
b. X Exhibit B, Novelty Statement		d. 🗵 Exhibit D, Additional					
5. DOES THE APPLICANT(S) SPECIFY THAT SEE	D OF THIS VARIE	TY BE SOLD BY VARIETY NAMI	E ONL N	/ AS A C! ASS OF CERTIFIED			
ozebi (oce section 85(a) of the Plant Variety Pro	tection Act.)	Yes (If "Yes," answer					
6. DOES THE APPLICANT(S) SPECIFY THAT THIS LIMITED AS TO NUMBER OF GENERATIONS?	VARIETY BE	17. IF "YES" TO ITEM 16, V BEYOND BREEDER SEE	VHICH	CLASSES OF PRODUCTION			
Yes X No		Foundation		gistered Certified			
B. DID THE APPLICANT(S) FILE FOR PROTECTION	ON OF THE VARIE	ETY IN THE U.S. OR OTHER COU	NTRIE	S? Yes (If "Yes," give name			
			•	of countries and dates)			
HAVE DICHTS OFFI				X No			
). HAVE RIGHTS BEEN GRANTED IN THE U.S. O	R OTHER COUNT	'RIES?		Yes (If "Yes," give name of countries and dates)			
				X No			
 The applicant(s) declare(s) that a viable samp plenished upon request in accordance with su 	ch regulations as	may be applicable.		he application and will be re-			
The undersigned applicant(s) is (are) the own- distinct, uniform, and stable as required in Se Variety Protection Act.	er(s) of this sexu ction 41, and is o	ally reproduced novel plant var entitled to protection under the	iety, ai provis	nd believe(s) that the variety is ions of Section 42 of the Plant			
Applicant(s) is (are) informed that false repre	sentation herein	can jeopardize protection and r	esult ii	n penalties.			
SNATURE OF APPLICANT		-		TE			
Ray D. Mech				12-28-83			
GNATURE OF APPLICANT	0		DA	4			
Lynnville Seed Co.	KAN	ida		4-10-84 1			

FORM LMGS-470 (9-81)

(Edition of 1-78 is obsolete)

EXHIBIT "A"

The soybean variety, 'Riverside 2024', is an F5 selection from the progeny of the cross of Wayne x Corsoy. The progeny of this cross were advanced from F2 to F5 utilizing the single seed descent method of breeding. This variety was selected from the F5 generation and was first yield tested in the F6 generation. This variety was tested in replicated yield trials in both the F7 and F8 generations. This variety was also purified in the F8 generation by roguing. Seed multiplication was made in the F8 generation.

'Riverside 2024' has been determined to be uniform and stable with no segregation. There are no variants in this variety.

"Riverside 2024" is most similar to Corsoy with the exceptions that Riverside 2024 is 13 cm taller than Corsoy and that Riverside 2024 matures 17 days later than Corsoy 19 RJS.

	Days to Maturity	Plant Height
Riverside 2024	128	99
Corsoy	109	86
L.S.D. (.05)	2	5

EXHIBIT C (Soybean)

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE LIVESTOCK, MEAT, GRAIN & SEED DIVISION PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MARYLAND 20705

OBJECTIVE DESCRIPTION OF VARIETY

SOYB	EAN (Glycine max L.)			
NAME OF APPLICANT(S)	TEMPORARY DESIGNATION	VARIETY NAME		
Lynnville Seed Co.	723C46-18	Riverside 2024		
ADDRESS (Street and No., or R.F.D. No., City, State, and Zip C	FOR OFFICIAL USE ONLY			
Lynnville, Iowa 50153		8400036		
Choose the appropriate response which characterizes the in your answer is fewer than the number of boxes provide				
12 2 R/S 4/17/84		(L/W ratio > 1.2; L/T ratio = < 1.2) (L/T ratio > 1.2; T/W > 1.2)		
2. SEED COAT COLOR: (Mature Seed)				
1 = Yellow 2 = Green 3 = Brown	4 = Black 5 = Other	(Specify)		
3. SEED COAT LUSTER: (Mature Hand Shelled Seed) 1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny ('Ne	bsoy'; 'Gasoy 17')			
4. SEED SIZE: (Mature Seed)				
1 6 Grams per 100 seeds		· · · · · · · · · · · · · · · · · · ·		
5. HILUM COLOR: (Mature Seed)				
1 = Buff 2 = Yellow 3 = Brown	4 = Gray 5 = Imperfect Bl	ack 6 = Black 7 = Other (Specify)		
6. COTYLEDON COLOR: (Mature Seed)				
1 = Yellow 2 = Green				
7. SEED PROTEIN PEROXIDASE ACTIVITY:				
1 = Low 2 = High		•		
8. SEED PROTEIN ELECTROPHORETIC BAND:				
1 = Type A (SP1 ^a) 2 = Type B (SP1 ^b)	Í			
9. HYPOCOTYL COLOR:				
3 1 = Green only ('Evans'; 'Davis') 2 = Green w 3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71 4 = Dark Purple extending to unifoliate leaves ('Hodgson')		'Woodworth'; 'Tracy')		
10. LEAFLET SHAPE:				
3 1 = Lanceolate 2 = Oval 3 = Ovat	te 4 = Other (Specify)			

11. LEAF	LET SIZE:
2	1 = Small ('Amsoy 71'; 'A5312') 2 = Medium ('Corsoy 79'; 'Gasoy 17') 3 = Large ('Crawford'; 'Tracy')
12. LEAF	COLOR:
2	1 = Light Green ('Weber'; 'York') 2 = Medium Green ('Corsoy 79'; 'Braxton') 3 = Dark Green ('Gnome'; 'Tracy')
13. FLOW	ER COLOR:
2	1 = White 2 = Purple 3 = White with purple throat
14. POD 0	OLOR:
2	1 = Tan 2 = Brown 3 = Black
15. PLAN	PUBESCENCE COLOR:
1	1 = Gray 2 = Brown (Tawny)
16. PLAN	TYPES:
2	1 = Slender ('Essex'; 'Amsoy 71') 2 = Intermediate ('Amcor'; 'Braxton') 3 = Bushy ('Gnome'; 'Govan')
17, PLAN	HABIT:
3	1 = Determinate ('Gnome'; 'Braxton') 2 = Semi-Determinate ('Will') 3 = Indeterminate ('Nebsoy'; 'Improved Pelican')
18. MATU	RITY GROUP:
0 6	1 = 000
10 DISEA	SE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)
	ERIAL DISEASES:
0	Bacterial Pustule (Xanthomonas phaseoli var. sojensis)
0	Bacterial Blight (Pseudomonas glycinea)
0.	Wildfire (Pseudomonas tabaci)
FUNG	AL DISEASES:
0	Brown Spot (Septoria glycines)
••	Frogeye Leaf Spot (Cercospora sojina)
0	Race 1 Race 2 Race 3 Race 4 Other (Specify)
0	Target Spot (Corynespora cassiicola)
0	Downy Mildew (Peronospora trifoliorum var. manshurica)
0	Powdery Mildew (Microsphaera diffusa)
0	Brown Stem Rot (Cephalosporium gregatum)
	Stem Canker (Diaporthe phaseolorum var. caulivora)

8400	JUJ6
------	------

	The late of the second		8400030
19. DISEASE REACTION	ON: (Enter 0 = Not Tested; 1 = Susceptible; 2	= Resistant) (Continued)	
FUNGAL DISEA	SES: (Continued)		
O Pod and St	tem Blight (Diaporthe phaseolorum var; sojae)		
O Purple Seed	d Stain (Cercospora kikuchii)		
0 Rhizoctoni	ia Root Rot (Rhizoctonia solani)		
Phytophthe	ora Rot (Phytophthora megasperma var. sojae)		
1 Race 1	1 Race 2 Race 3	Race 4 Race 5	Race 6 Race 7
Race 8	Race 9 Other (Specify)		
VIRAL DISEASE	S:		
0 Bud Blight	(Tobacco Ringspot Virus)	•	
O Yellow Mos	saic (Bean Yellow Mosaic Virus)		
Cowpea Mo	saic (Cowpea Chlorotic Virus)		
O Pod Mottle	(Bean Pod Mottle Virus)		
0 Seed Mottle	(Soybean Mosaic Virus)		
NEMATODE DISE	EASES:		
Soybean Cy:	st Nematode (Heterodera glycines)		
0 Race 1	Race 2 Race 3	Race 4 Other (S	Specify)
0 Lance Nema	atode (Hopiolaimus Colombus)		
0 Southern Ro	oot Knot Nematode (Meloidogyne incognita)		
0 Northern Ro	oot Knot Nematode (<i>Meloidogyne Hapla</i>)		
0 Peanut Root	Knot Nematode (Meloidogyne arenaria)		
0 Reniform Ne	ematode (Rotylenchulus reniformis)	•	
OTHER DIS	EASE NOT ON FORM (Specify):		
	SPONSES: (Enter 0 = Not Tested; 1 = Suscep	otible; 2 = Resistant)	•
Iron Chlorosi	s on Calcareous Soil		
Other (Specif			
	(Enter 0 = Not Tested; 1 = Susceptible; 2 = R	esistant)	
	n Beetle (Epilachna varivestis)		
O Potato Leaf H	lopper (Empoasca fabae)		
O Other (Specify	y)		·
22. INDICATE WHICH VA	ARIETY MOST CLOSELY RESEMBLES THA	T SUBMITTED.	The state of the s
CHARACTER	NAME OF VARIETY	CHARACTER	NAME OF VARIETY
Plant Shape	Corsoy	Seed Coat Luster	Corsoy
Leaf Shape	Corsoy	Seed Size	Wayne
Leaf Color	Corsoy	Seed Shape	Corsoy
Leaf Size	Corsoy	Seedling Pigmentation	Corsoy
FORM LMGS-470-57 (2-82			the state of the s
	-,	and the second of the second o	

23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY	NO. OF PLANT LODGING MATURITY SCORE	CM PLANT	LEAFLET SIZE		SEED CONTENT		SEED SIZE G/100	NO. SEEDS/	
		SCORE	HEIGHT	CM Width	CM Length	% Protein	% Oil	SEEDS	POD
Submitted	127	2.8	99	3.6	3,8			16	2/3
Corsoy Name of Similar Variety	109	3.0	86	2.8	2.8			12.5	2/3

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A2 in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.

EXHIBIT D

Marc MAL

"Riverside 2024" is an indeterminate variety which has purple flowers, gray pubescence, and brown pods. It has a yellow seed coat color and purple flowers. It has an intermediate growth habit with an average height of 99 cm. It is susceptible to Race 1 of phytophthora root rot, but it has excellent field tolerance to phytophthora. Its seed size in grams per 100 seeds is 16, compared to 12.5 for Corsoy. Riverside 2024 matures 19 days later than Corsoy.